# Particle production in field theories coupled to a strong source

François Gelis

CEA / DSM / SPhT



### **Outline**

Color Glass Condensate

Generalities

Moments

Generating function

Towards kinetic theory

- High energy hadrons and Color Glass Condensate
- General properties of field theories coupled to an external source
- First moment Average multiplicity at LO and NLO
- Generating function for the particle multiplicities
- Towards kinetic theory
  - ◆ Baltz, FG, McLerran, Peshier, nucl-th/0101024
  - FG, Kajantie, Lappi, hep-ph/0409058, 0508229
  - ◆ FG, Venugopalan, hep-ph/0601209



### Goals

#### Color Glass Condensate


- Nucleon at high energy
- Degrees of freedom
- Calculation of observables

Generalities

Moments

Generating function

Towards kinetic theory



- describe the semi-hard content of nucleons and nuclei
- calculate the initial production of semi-hard particles in high-energy heavy ion collisions



### **Saturation domain**

#### Color Glass Condensate


- Nucleon at high energy
- Degrees of freedom
- Calculation of observables

Generalities

Moments

Generating function

Towards kinetic theory





### **Saturation domain**

#### Color Glass Condensate


- Nucleon at high energy
- Degrees of freedom
- Calculation of observables

Generalities

Moments

Generating function

Towards kinetic theory





### Nucleon at high energy

#### Color Glass Condensate


- Nucleon at high energy
- Degrees of freedom
- Calculation of observables

Generalities

Moments

Generating function

Towards kinetic theory



- Dilation of all internal time-scales of the nucleon
- Interactions among constituents now take place over time-scales that are longer than the characteristic time-scale of the probe
  - > the constituents behave as if they were free
- Many fluctuations live long enough to be seen by the probe.
   The nucleon appears denser at high energy (it contains more gluons)
- Pre-existing fluctuations are frozen over the time-scale of the probe, and act as static sources of new partons



# Degrees of freedom and their interplay

Color Glass Condensate

Nucleon at high energy

Degrees of freedom

Calculation of observables

Generalities

Moments

Generating function

Towards kinetic theory

Summary

McLerran, Venugopalan (1994), Iancu, Leonidov, McLerran (2001)

Small-x modes have a large occupation number
 b they are described by a classical color field A<sup>μ</sup>, that obeys Yang-Mills's equation:

$$[D_{\nu}, F^{\nu\mu}] = J^{\mu}$$

■ The source term  $J^{\mu}$  comes from the faster partons. The large-x modes, slowed down by time dilation, are described as frozen color sources  $\rho$ . Hence :

$$J^{\mu} = \delta^{\mu +} \delta(x^{-}) \rho(\vec{x}_{\perp})$$



The color sources  $\rho$  are random, and described by a distribution functional  $W_{x_0}[\rho]$ , with  $x_0$  the frontier between "small-x" and "large-x"



### Calculation of observables

Color Glass Condensate

Nucleon at high energy

Degrees of freedom

Calculation of observables

Generalities

Moments

Generating function

Towards kinetic theory

Summary

In order to study the collisions of two hadrons, solve the classical Yang-Mills equations in the presence of the following current:

$$J^{\mu} \equiv \delta^{\mu +} \delta(x^{-}) \rho_{1}(\vec{\boldsymbol{x}}_{\perp}) + \delta^{\mu -} \delta(x^{+}) \rho_{2}(\vec{\boldsymbol{x}}_{\perp})$$

- Compute the observable  $\mathcal{O}$  of interest in the background field created by a configuration of the sources  $\rho_1$ ,  $\rho_2$ . Note: the sources are of order  $1/g \triangleright$  this is a very non-linear problem
- Average over the sources  $\rho_1$ ,  $\rho_2$

$$\langle \mathcal{O} \rangle = \int \left[ D \rho_1 \right] \left[ D \rho_2 \right] W_{x_1} [\rho_1] W_{x_2} [\rho_2] \mathcal{O} [\rho_1, \rho_2]$$

Note: in the rest of this talk, I'll assume that the distributions  $W_x[\rho]$  of sources are known



### Toy model

Color Glass Condensate

#### Generalities

#### Toy model

- Power counting
- Reduction formulas
- Vacuum-vacuum diagrams
- Generating function
- Interpretation of F(z)

Moments

Generating function

Towards kinetic theory

- From now on, we assume that  $j = j_1 + j_2$ , with  $j_1$  and  $j_2$  of comparable strengths
- The sources can be as strong as 1/g in the saturated regime:  $\triangleright$  corrections in  $(gj)^n$  must be summed to all orders, which makes the evaluation of physical quantities very complicated even at "leading order"
- To avoid encumbering the discussion with unessential details, consider a scalar field theory with a  $\phi^3$  coupling, coupled to a source j(x):

$$\mathcal{L} \equiv \frac{1}{2} \left( \partial_{\mu} \phi \right) \left( \partial^{\mu} \phi \right) - \frac{1}{2} m^{2} \phi^{2} - \frac{g}{3!} \phi^{3} + \mathbf{j} \phi$$



# Counting the powers of g

Color Glass Condensate

#### Generalities

Toy model

#### Power counting

- Reduction formulas
- Vacuum-vacuum diagrams
- Generating function
- Interpretation of F(z)

Moments

Generating function

Towards kinetic theory

Summary

- Consider a diagram with :
  - ◆ E external lines
  - ◆ I internal lines
  - ♦ V vertices
  - ◆ J sources
  - ◆ L independent loops
- These numbers are related by :

$$3V + J = E + 2I$$

$$L = I - J + 1$$

■ Therefore, the order of the diagram in g and j is :

$$g^{V}j^{J} = g^{E+2(L-1)}(gj)^{J}$$

After resummation of all the powers of gj, the order of a diagram depends only on its number of loops and external legs



### **Reduction formulas**

Color Glass Condensate

#### Generalities

- Toy model
- Power counting

#### Reduction formulas

- Vacuum-vacuum diagrams
- Generating function
- Interpretation of F(z)

Moments

Generating function

Towards kinetic theory

Summary

Production of a single particle :

$$\langle \vec{p}_{\text{out}} | 0_{\text{in}} \rangle = \frac{1}{Z^{1/2}} \int d^4x \ e^{ip \cdot x} \ (\Box_x + m^2) \langle 0_{\text{out}} | \phi(x) | 0_{\text{in}} \rangle$$

Production of a two particles :

$$\langle \vec{p}\vec{q}_{\text{out}}|0_{\text{in}}\rangle = \frac{1}{Z} \int d^4x \, d^4y \, e^{iq \cdot y} e^{ip \cdot x} \times (\Box_x + m^2)(\Box_y + m^2) \langle 0_{\text{out}}|T\phi(x)\phi(y)|0_{\text{in}}\rangle$$



### Vacuum-vacuum diagrams

Color Glass Condensate

#### Generalities

- Toy model
- Power counting
- Reduction formulas

#### Vacuum-vacuum diagrams

- Generating function
- Interpretation of F(z)

Moments

Generating function

Towards kinetic theory

Summary

■ The perturbative expansion of these transition amplitude generates vacuum-vacuum diagrams (i.e. disconnected diagrams that do not have any external leg).

Their sum is not a pure phase

■ The sum of all the vacuum-vacuum diagrams in  $\langle 0_{out} | 0_{in} \rangle$  is the exponential of the sum of the connected ones

$$\langle 0_{\text{out}} | 0_{\text{in}} \rangle = e^{iV[j]}$$

■ The perturbative expansion of iV[j] starts with :

$$\frac{1}{2}$$
  $+$   $\frac{1}{6}$   $+$   $\frac{1}{8}$   $+$   $\cdots$ 

Note : each graph  $\Gamma$  comes with a symmetry factor  $1/S_{\Gamma}$ 

■ Note :  $\exp(iV[j])$  can be seen as a generating functional :

$$\langle 0_{\text{out}} | T\phi(x_1) \cdots \phi(x_n) | 0_{\text{in}} \rangle = \frac{\delta}{i\delta j(x_1)} \cdots \frac{\delta}{i\delta j(x_n)} e^{iV[j]}$$



### **Generating function**

Color Glass Condensate

#### Generalities

- Toy model
- Power counting
- Reduction formulas
- Vacuum-vacuum diagrams
- Generating function
- Interpretation of F(z)

Moments

Generating function

Towards kinetic theory

Summary

 $\blacksquare$  The probability of producing exactly n particles is :

$$P_n = \frac{1}{n!} \int \frac{d^3 \vec{p}_1}{(2\pi)^3 2E_1} \cdots \frac{d^3 \vec{p}_n}{(2\pi)^3 2E_n} \left| \left\langle \vec{p}_1 \cdots \vec{p}_{n \text{ out}} \middle| 0_{\text{in}} \right\rangle \right|^2$$

- lacksquare Generating function :  $F(z) \equiv \sum_{n=0}^{+\infty} P_n \, z^n$
- One can show that :

$$F(z) = e^{z\mathcal{D}[j_+, j_-]} e^{iV[j_+]} e^{-iV^*[j_-]} \Big|_{j_+ = j_- = j}$$

with

$$\mathcal{D}[j_{+},j_{-}] \equiv \frac{1}{Z} \int_{x,y} G_{+-}^{0}(x,y) \left(\Box_{x} + m^{2}\right) \left(\Box_{y} + m^{2}\right) \frac{\delta}{\delta j_{+}(x)} \frac{\delta}{\delta j_{-}(y)}$$

$$G_{+-}^{0}(x,y) \equiv \int \frac{d^{3}\vec{p}}{(2\pi)^{3} 2E_{p}} e^{ip \cdot (x-y)}$$



# Interpretation of F(z)

Color Glass Condensate

#### Generalities

- Toy model
- Power counting
- Reduction formulas
- Vacuum-vacuum diagrams
- Generating function
- Interpretation of F(z)

Moments

Generating function

Towards kinetic theory

Summary

- $\blacksquare \exp(iV[j_+])$  is obtained with the usual Feynman rules :
  - Propagator :  $G_{++}^0(p) = i/(p^2 m^2 + i\epsilon)$
- $\blacksquare \exp(-iV^*[j_-])$ , is obtained with the conjugate rules :
  - Propagator :  $G_{--}^{0}(p) = -i/(p^2 m^2 i\epsilon)$
- Schwinger-Keldysh formalism :

  - If the sign is +: vertex -ig and source  $+ij_+$
  - If the sign is -: vertex +ig and source -ij
  - ullet Connect the vertices  $\epsilon$  and  $\epsilon'$  with the propagator  $G^0_{\epsilon\epsilon'}$
- The action of  $\exp(\mathcal{D}[j_+, j_-])$  is to build the mixed diagrams
- The generating function has the following interpretation:

F(z) is the sum of all the Schwinger-Keldysh vacuum-vacuum diagrams, in which each propagator of type +- or -+ is weighted by a factor z



### Why calculating Pn is hard

Color Glass Condensate

#### Generalities

- Toy model
- Power counting
- Reduction formulas
- Vacuum-vacuum diagrams
- Generating function
- Interpretation of F(z)


Moments

Generating function

Towards kinetic theory

Summary

**Example**: typical contribution to  $P_{11}$ :



■ At tree level, all the disconnected graphs are of order  $1/g^2$  by therefore, no truncation is possible for the leading order



### Calculation of the moments

Color Glass Condensate

Generalities

#### Moments

- Calculation of the moments
- Leading order
- Next to Leading Order
- Gluon production (LO)
- Quark production
- Gluon production (NLO)

Generating function

Towards kinetic theory

Summary

Start from :

$$F(z) = \sum_{n} P_{n} z^{n} = e^{z \mathcal{D}[j_{+}, j_{-}]} e^{iV[j_{+}]} e^{-iV^{*}[j_{-}]} \Big|_{j_{+}=j_{-}=j}$$

The average multiplicity is given by :

$$\langle n \rangle = F'(1) = \mathcal{D}[j_+, j_-] \underbrace{e^{\mathcal{D}[j_+, j_-]} e^{iV[j_+]} e^{-iV^*[j_-]}}_{j_+ = j_- = j}$$

More explicitly, this reads :

$$\langle n \rangle = \frac{1}{Z} \int_{x,y}^{G_{+-}^0(x,y)} (\Box_x + m^2) (\Box_y + m^2) \left[ \underbrace{\frac{\delta iW}{\delta j_+(x)} \frac{\delta iW}{\delta j_-(y)}}_{+} + \underbrace{\frac{\delta^2 iW}{\delta j_+(x)\delta j_-(y)}}_{-} \right]$$

$$n\rangle = \bigcirc^{+}$$





### **Leading Order**

Color Glass Condensate

Generalities

#### Moments

Calculation of the moments

#### Leading order

- Next to Leading Order
- Gluon production (LO)
- Quark production
- Gluon production (NLO)

Generating function

Towards kinetic theory

Summary

■ At leading order – i.e.  $\mathcal{O}(1/g^2)$  – we need only tree diagrams :

- lacktriangle For all the vertices except the two which are labelled explicitly, we must sum over the indices +/-
- We must also sum over all the topologies for the tree diagrams on the left and on the right of the  $G_{+-}^0$  propagator
- By using repeatedly the relation  $G_{++}^0 G_{+-}^0 = G_{-+}^0 G_{--}^0 = G_R$ , the only effect of the summation over the +/- indices is to turn all the propagators into retarded propagators



### **Leading Order**

Color Glass Condensate

Generalities

#### Moments

Calculation of the moments

#### Leading order

- Next to Leading Order
- Gluon production (LO)
- Quark production
- Gluon production (NLO)

Generating function

Towards kinetic theory

Summary

■ The sum of all 1-point tree diagrams made of retarded propagators is the solution  $\phi_R$  of the classical equation of motion

$$(\Box_x + m^2)\phi_R(x) + \frac{g}{2}\phi_R^2(x) = j(x)$$

with a null retarded boundary condition

$$\lim_{x^0 \to -\infty} \phi_R(x) = 0 , \quad \lim_{x^0 \to -\infty} \partial^0 \phi_R(x) = 0$$

Finally, one obtains :

$$E_p \left. \frac{d\langle n \rangle}{d^3 \vec{p}} \right|_{LO} = \frac{1}{16\pi^3} \int_{x,y} e^{ip \cdot (x-y)} (\Box_x + m^2) (\Box_y + m^2) \phi_R(x) \phi_R(y)$$



### **Next to Leading Order**

Color Glass Condensate

Generalities

#### Moments

- Calculation of the moments
- Leading order

#### Next to Leading Order


- Gluon production (LO)
- Quark production
- Gluon production (NLO)


Generating function

Towards kinetic theory

Summary

■ There are two types of corrections at NLO:





- They both contribute at order  $g^0$ . For quark production, the first type of NLO topologies would in fact be the leading contribution
- $\blacksquare$  One can show that, at NLO, the summation of all the diagrams involved in  $\langle n \rangle$  can be performed by solving the EOM for small fluctuations on top of the classical field



### Gluon production

Color Glass Condensate

Generalities

#### Moments

- Calculation of the moments
- Leading order
- Next to Leading Order

#### Gluon production (LO)

- Quark production
- Gluon production (NLO)

Generating function


Towards kinetic theory

Summary

Krasnitz, Nara, Venugopalan (1999, 2001), Lappi (2003)

$$E_{p} \frac{d\langle n_{\text{gluons}} \rangle}{d^{3} \vec{p}} = \frac{1}{16\pi^{3}} \int_{x,y} e^{ip \cdot (x-y)} \Box_{x} \Box_{y} \langle A(x)A(y) \rangle$$

■ At LO, one just needs to solve Yang-Mills equations, with retarded boundary conditions :





### Gluon production

Color Glass Condensate

Generalities

#### Moments

- Calculation of the moments
- Leading order
- Next to Leading Order

#### Gluon production (LO)

- Quark production
- Gluon production (NLO)

Generating function


Towards kinetic theory

Summary

Krasnitz, Nara, Venugopalan (1999, 2001), Lappi (2003)

$$E_{p} \frac{d\langle n_{\text{gluons}} \rangle}{d^{3} \vec{p}} = \frac{1}{16\pi^{3}} \int_{x,y} e^{ip \cdot (x-y)} \Box_{x} \Box_{y} \langle A(x)A(y) \rangle$$

At LO, one just needs to solve Yang-Mills equations, with retarded boundary conditions :





### Gluon spectrum

Color Glass Condensate

Generalities

#### Moments

- Calculation of the moments
- Leading order
- Next to Leading Order

#### Gluon production (LO)


- Quark production
- Gluon production (NLO)

Generating function

Towards kinetic theory

Summary

■ Gluon spectra on  $256^2$  and  $512^2$  transverse lattices:



- Lattice cutoff at large momentum (they do not affect much the overall number of gluons)
- Important softening at small  $k_{\perp}$  compared to pQCD (saturation)



### **Quark production**

Color Glass Condensate

Generalities

#### Moments

- Calculation of the moments
- Leading order
- Next to Leading Order
- Gluon production (LO)

#### Quark production

Gluon production (NLO)

Generating function


Towards kinetic theory

Summary

FG, Kajantie, Lappi (2004, 2005)

$$E_{\mathbf{p}} \frac{d\langle n_{\text{quarks}} \rangle}{d^{3} \mathbf{\vec{p}}} = \frac{1}{16\pi^{3}} \int_{x,y} e^{i\mathbf{p}\cdot(x-y)} \, \partial_{x} \partial_{y} \, \langle \overline{\psi}(x)\psi(y) \rangle$$

■ Dirac equation in the classical color field :





### **Quark production**

Color Glass Condensate

Generalities

#### Moments

- Calculation of the moments
- Leading order
- Next to Leading Order
- Gluon production (LO)

#### Quark production

Gluon production (NLO)

Generating function


Towards kinetic theory

Summary

FG, Kajantie, Lappi (2004, 2005)

$$E_{\mathbf{p}} \frac{d\langle n_{\text{quarks}} \rangle}{d^{3} \mathbf{\vec{p}}} = \frac{1}{16\pi^{3}} \int_{x,y} e^{i\mathbf{p}\cdot(x-y)} \, \partial_{x} \partial_{y} \, \langle \overline{\psi}(x)\psi(y) \rangle$$

■ Dirac equation in the classical color field :





### Time dependence of quark production

Color Glass Condensate


Generalities

#### Moments

- Calculation of the moments
- Leading order
- Next to Leading Order
- Gluon production (LO)
- Quark production
- Gluon production (NLO)

Generating function

Towards kinetic theory





### Spectra for various quark masses

Color Glass Condensate


Generalities

#### Moments

- Calculation of the moments
- Leading order
- Next to Leading Order
- Gluon production (LO)
- Quark production
- Gluon production (NLO)

Generating function

Towards kinetic theory





### Gluon production at NLO (1/2)

Color Glass Condensate

Generalities

#### Moments

- Calculation of the moments
- Leading order
- Next to Leading Order
- Gluon production (LO)
- Quark production
- Gluon production (NLO)


Generating function

Towards kinetic theory

Summary

FG, Lappi, Venugopalan (work in progress)

A part of the NLO correction is very similar to quark production: it involves the EOM for small field fluctuations on top of the classical solution





# Gluon production at NLO (1/2)

Color Glass Condensate

Generalities

#### Moments

- Calculation of the moments
- Leading order
- Next to Leading Order
- Gluon production (LO)
- Quark production
- Gluon production (NLO)


Generating function

Towards kinetic theory

Summary

FG, Lappi, Venugopalan (work in progress)

A part of the NLO correction is very similar to quark production: it involves the EOM for small field fluctuations on top of the classical solution





### Gluon production at NLO (2/2)

Color Glass Condensate

Generalities

#### Moments


- Calculation of the moments
- Leading order
- Next to Leading Order
- Gluon production (LO)
- Quark production
- Gluon production (NLO)

Generating function

Towards kinetic theory

Summary

■ The other part is a 1-loop correction to the classical field





# Gluon production at NLO (2/2)

Color Glass Condensate

Generalities

#### Moments


- Calculation of the moments
- Leading order
- Next to Leading Order
- Gluon production (LO)
- Quark production
- Gluon production (NLO)

Generating function

Towards kinetic theory

Summary

■ The other part is a 1-loop correction to the classical field





### Introduction

Color Glass Condensate

Generalities

Moments

Generating function

Introduction

Derivative of Ln(F(z))


Towards kinetic theory

Summary

Let us pretend that we know the generating function F(z). We could get the probability distribution as follows:

$$P_n = \frac{1}{2\pi} \int_0^{2\pi} d\theta \ e^{-in\theta} \ F(e^{i\theta})$$

Note: this is trivial to evaluate numerically by a FFT:



# **Derivative of Ln(F(z))**

Color Glass Condensate

Generalities

Moments

Generating function

Introduction

Derivative of Ln(F(z))

Towards kinetic theory

Summary

Reminder :

$$F(z) = \underbrace{e^{z\mathcal{D}[j_{+},j_{-}]} e^{iV[j_{+}]} e^{-iV^{*}[j_{-}]}}_{j_{+}=j_{-}=j}$$

By the method already used for the multiplicity, we get :

$$\frac{F'(z)}{F(z)} = \frac{1}{Z} \int_{x,y}^{G_{+-}^0(x,y)} (\Box_x + m^2) (\Box_y + m^2) \left[ \underbrace{\frac{\delta iW}{\delta j_+(x)} \frac{\delta iW}{\delta j_-(y)}}_{\underline{\delta j_-(y)}} + \underbrace{\frac{\delta^2 iW}{\delta j_+(x)\delta j_-(y)}}_{\underline{\delta j_+(x)\delta j_-(y)}} \right]$$

=

■ Note : the topologies involved are the same as in  $\langle n \rangle$ , but the Feynman rules are modified by :

$$G^0_{+-} \longrightarrow \mathbf{z} G^0_{+-}, \qquad G^0_{-+} \longrightarrow \mathbf{z} G^0_{-+}$$



# **Derivative of Ln(F(z))**

Color Glass Condensate

Generalities

Moments

#### Generating function

- Introduction
- Derivative of Ln(F(z))

Towards kinetic theory

Summary

■ At leading order, we need only to calculate two objects,  $\phi_+(z|x)$  and  $\phi_-(z|y)$ , given as the sums of the 1-point connected tree graphs :

$$\phi_{\epsilon}(z|x) = \sum_{\text{trees}\atop +/z} \frac{\varepsilon}{x}$$

- Note: these tree diagrams must be calculated with the z-dependent modified Feynman rules
- One can show that these objects are also solutions of the classical equation of motion :

$$(\Box_x + m^2)\phi_{\pm}(z|x) + \frac{g}{2}\phi_{\pm}^2(z|x) = j(x)$$



### F(z) from solutions of the EOM

Color Glass Condensate

Generalities

Moments

#### Generating function

- Introduction
- Derivative of Ln(F(z))

Towards kinetic theory

Summary

■ Write the fields  $\phi_{\pm}(z|x)$  as a superposition of plane waves :

$$\phi_{+}(z|x) \equiv \int \frac{d^{3}\vec{p}}{(2\pi)^{3}2E_{p}} \left\{ f_{+}^{(+)}(x^{0}, \vec{p})e^{-ip\cdot x} + f_{+}^{(-)}(x^{0}, \vec{p})e^{ip\cdot x} \right\}$$

$$\phi_{-}(z|x) \equiv \int \frac{d^{3}\vec{p}}{(2\pi)^{3}2E_{p}} \left\{ f_{-}^{(+)}(x^{0}, \vec{p})e^{-ip\cdot x} + f_{-}^{(-)}(x^{0}, \vec{p})e^{ip\cdot x} \right\}$$

In terms of these coefficients, the boundary conditions are :

$$f_{+}^{(+)}(-\infty, \vec{p}) = f_{-}^{(-)}(-\infty, \vec{p}) = 0$$

$$f_{-}^{(+)}(+\infty, \vec{p}) = z f_{+}^{(+)}(+\infty, \vec{p})$$

$$f_{+}^{(-)}(+\infty, \vec{p}) = z f_{-}^{(-)}(+\infty, \vec{p})$$

Finally, at leading order, we obtain :

$$F(z)|_{LO} = \exp \int_{1}^{z} dz' \int \frac{d^{3}\vec{p}}{(2\pi)^{3}2E_{p}} f_{+}^{(+)}(+\infty, \vec{p}) f_{-}^{(-)}(+\infty, \vec{p})$$



### Difficulties of the standard approach

Color Glass Condensate

Generalities

Moments

Generating function

#### Towards kinetic theory

- Difficulties
- Alternate approach
- Dyson-Schwinger equation
- Boltzmann equation

Summary

Reminder :

$$\langle n \rangle = \bigcirc + \bigcirc$$

- In principle, by calculating this to all orders, one would obtain the full answer for the number of produced particles
- However, this is complicated by secular divergences :
  - by the terms that are dominant at large times are not the same as those that dominate the physics at early times
  - by the organization in powers of the coupling is not very relevant, because some higher order corrections may get enhanced by powers of time
- The Dyson-Schwinger equations can resum these secular divergences and make the result sensible. Under certain approximations, they can be simplified into kinetic equations



### Alternate approach

Color Glass Condensate

Generalities

Moments

Generating function

#### Towards kinetic theory

- Difficulties
- Alternate approach
- Dyson-Schwinger equation
- Boltzmann equation

Summary

Consider an ensemble of particles on top of the fields :

$$G_{++}(X,p) = \frac{i}{p^2 - m^2 + i\epsilon} + 2\pi f(X,p)\delta(p^2 - m^2)$$

- The distribution f that appears in the propagators is the initial distribution of particles. Of course, by taking f = 0 (no particles in the initial state) and by summing all the diagrams, we get the same answer as before (with the same problems related to secular divergences)
- lacktriangle By letting the distribution f evolve in time, we can resum the secular terms
- Strategy :
  - Write the Dyson-Schwinger equations
  - Do a gradient approximation in order to turn them into a Boltzmann equation



# **Dyson-Schwinger equation**

Color Glass Condensate

Generalities

Moments

Generating function

#### Towards kinetic theory

- Difficulties
- Alternate approach

Dyson-Schwinger equation

Boltzmann equation

Summary

Because of the external source, the 2-point function has a connected and a disconnected part :

$$G(x,y) \equiv G^{c}(x,y) + G^{nc}(x,y)$$

connected disconnected

$$G^{\rm nc}(x,y) = \langle \phi(x) \rangle \langle \phi(y) \rangle$$

Extract a mean-field term from the self-energy :

$$\Sigma(x,y) \equiv g\Phi(x)\delta(x-y) + \Pi(x,y)$$

■ The connected part obeys :

$$\left[\Box_x + m^2 + g\mathbf{\Phi}(x)\right]\mathbf{G}^{c}(x,y) = -i\delta(x-y) - \int d^4u \,\mathbf{\Pi}(x,u)\,\mathbf{G}^{c}(u,y)$$



# **Dyson-Schwinger equation**

Color Glass Condensate

Generalities

Moments

Generating function

#### Towards kinetic theory

- Difficulties
- Alternate approach

#### Dyson-Schwinger equation

Boltzmann equation

Summary

Write the field expectation value in terms of an "effective source":

$$\langle \phi(x) \rangle \equiv \int d^4 u \; \boldsymbol{G}^{c}(x, u) \, \boldsymbol{S}(u)$$

The disconnected part obeys :

$$\left[\Box_x + m^2 + g\mathbf{\Phi}(x)\right] \mathbf{G}^{\mathrm{nc}}(x,y) = -i\mathbf{S}(x) \langle \phi(y) \rangle - \int d^4 u \, \mathbf{\Pi}(x,u) \, \mathbf{G}^{\mathrm{nc}}(u,y)$$

■ Then, for the full 2-point function, we get :

$$\left[\Box_x + m^2 + g\mathbf{\Phi}(x)\right]\mathbf{G}(x,y) = -i\delta(x-y)$$

$$-\int d^4u \left[\mathbf{\Pi}(x,u)\,\mathbf{G}(u,y) + \underbrace{\mathbf{\Pi}_S(x,u)}_{S}\mathbf{G}^c(u,y)\right]$$
source term :  $-i\mathbf{\Pi}_S(x,y) \equiv \mathbf{S}(x)\,\mathbf{S}(y)$ 

### **Boltzmann equation**

Color Glass Condensate

Generalities

Moments

Generating function

#### Towards kinetic theory

- Difficulties
- Alternate approach
- Dyson-Schwinger equation
- Boltzmann equation

Summary

Quasi-particle ansatz :

$$G_{-+}(X,p) = (1 + f(X,p))\rho(X,p)$$
  
 $G_{+-}(X,p) = f(X,p)\rho(X,p)$   
 $\rho(X,p) = G_{-+}(X,p) - G_{+-}(X,p)$ 

Wigner transform and gradient expansion :

$$\left[ \Box_x + m^2 + g \mathbf{\Phi}(x) \right] \mathbf{G}(x, y) = -i\delta(x - y)$$
$$- \int d^4 u \left[ \mathbf{\Pi}(x, u) \mathbf{G}(u, y) + \mathbf{\Pi}_S(x, u) \mathbf{G}^{c}(u, y) \right]$$

$$\begin{split} 2p \cdot \partial_X f(X,p) + g \partial_X \mathbf{\Phi}(X) \cdot \partial_p f(X,p) \\ &= (1 + f(X,p)) \mathbf{\Pi}_{+-}(X,p) - f(X,p) \mathbf{\Pi}_{-+}(X,p) + \mathbf{\Pi}_S(X,p) \end{split}$$

> Boltzmann equation with a source term



### **Summary and perspectives**

Color Glass Condensate

Generalities

Moments

Generating function

Towards kinetic theory

Summary

In a field theory coupled to strong time-dependent sources, the problem of particle production is non-perturbative, and requires to sum an infinity of diagrams at each order

- Leading Order :
  - The multiplicity can be found from retarded solutions of the classical EOM
  - The generating function requires solutions of the classical EOM with more complicated boundary conditions
- Next to Leading order: one needs the retarded solution of the equation for small field fluctuations in order to calculate the multiplicity
- One can obtain a Boltzmann equation that interpolates between a regime dominated by fields and a regime dominated by particles
- Extensions:
  - Rapidity gaps, diffraction
  - Evolution equation (à la BK) for the generating function



### Calculation of the moments

Color Glass Condensate

Generalities

Moments

Generating function

Towards kinetic theory

Summary

Variance

The same method can be applied to the calculation of the variance :

$$\langle n^2 \rangle - \langle n \rangle^2 = \frac{d^2}{dx^2} \ln(F(e^x))_{x=0}$$

$$= \left[ \mathcal{D}[j_+, j_-] + \mathcal{D}^2[j_+, j_-] \right] e^{iV[j_+, j_-]} \Big|_{\substack{j_+ = j_- = j \text{connected}}}$$

■ In terms of diagrams:



### Number of independent subdiagrams

Color Glass Condensate

Generalities

Moments

Generating function

Towards kinetic theory

Summary

#### Survival probabilities

- Independent subdiagrams
- Survival probability
- Rapidity gaps

Let us call  $b_r$  the sum of all the vacuum-vacuum diagrams in the Schwinger-Keldysh formalism with r cut lines. We have

$$\ln(F(z)) = \sum_{r=1}^{+\infty} b_r (z^r - 1)$$

From this form of the generating function, one gets:

$$P_n = \sum_{p=0}^n e^{-\sum_r b_r} \frac{1}{p!} \sum_{\alpha_1 + \dots + \alpha_p = n} b_{\alpha_1} \dots b_{\alpha_n}$$

probability of producing n particles in p cut subdiagrams

 $\blacksquare$  Summing on n, we get the probability of p cut subdiagrams :

$$R_p = \frac{1}{p!} \left[ \sum_{r=1}^{\infty} \mathbf{b_r} \right]^p e^{-\sum_r \mathbf{b_r}}$$

Note : this is a Poisson distribution of average  $\langle N_{\mathrm{diagrams}} \rangle = \sum_r b_r$ 



### **Survival probability**

Color Glass Condensate

Generalities

Moments

Generating function

Towards kinetic theory

Summary

Survival probabilities

- Independent subdiagrams
- Survival probability
- Rapidity gaps

One interesting quantity to consider is the probability of not producing anything :

$$P_0 = \exp\left(-\sum_r b_r\right)$$
$$= \exp\left(-\langle N_{\text{diagrams}}\rangle\right)$$

- Notes:
  - When defined over a restricted part of phase-space, this quantity is the survival probability for a void in this region of phase-space
  - If the dynamics of the theory allows to have many particles produced in the same subdiagram, it is much larger than the  $\exp(-\langle n \rangle)$  one would naively predict from Poisson formula
  - Calculating the survival probability is equivalent to calculating F(0)



### Rapidity gaps

Color Glass Condensate

Generalities

Moments

Generating function


Towards kinetic theory

Summary

#### Survival probabilities

- Independent subdiagrams
- Survival probability
- Rapidity gaps

Proton-proton :



- Thanks to the pomeron, many particles can be produced from the same subdiagram in large rapidity intervals
- The probability of rapidity gaps is not very suppressed, and is largely independent of the gap (position and size)



### Rapidity gaps

Color Glass Condensate

Generalities

Moments

Generating function


Towards kinetic theory

Summary

#### Survival probabilities

- Independent subdiagrams
- Survival probability
- Rapidity gaps

Proton-nucleus:



- ◆ Thanks of these branchings, the number of disconnected subdiagrams does not increase much ▷ rapidity gaps are not much suppressed compared to proton-proton



### Rapidity gaps

Color Glass Condensate

Generalities

Moments

Generating function


Towards kinetic theory

Summary

#### Survival probabilities

- Independent subdiagrams
- Survival probability
- Rapidity gaps

Nucleus-nucleus :



- Large density of pomerons
- The probability of rapidity gaps is low
- Diffraction occurs only in peripheral collisions